


# remote engineer

*Simply Connect and Control*



## PRODUCTSHEET

### SERVICEGATE LITE





---

## Description

The ServiceGate Lite has the same robust casing as the V2 and is suitable for projects requiring two or less LAN connections or projects using a local switch. If you need a powerful industrial VPN router with no unnecessary extras, then the ServiceGate Lite is the best option for you.



## Specifications ServiceGate Lite

<b>Processor</b>	ATHEROS
<b>RAM</b>	64MB
<b>Flash</b>	8MB
<b>Ethernet</b>	1x Fast Ethernet (WAN)
<b>Ethernet (LAN)</b>	2x Fast Ethernet (LAN)
	Wi-Fi
<b>USB</b>	2x USB 2.0 front
<b>Power supply</b>	8-48 VDC input


### Physical

<b>Dimensions (LxBxH)</b>	121x98x46 mm
<b>Weight</b>	0,30kg
<b>Montage</b>	DIN Rail

### Environmental variables

<b>Operating temperature</b>	-5 - +55°C
<b>Storage temperature</b>	-30 - +60°C
<b>Certificates</b>	FCC Class A, CE Class A
<b>Warranty</b>	12 months

# Specifications ServiceGate Lite



# Specifications ServiceGate Lite



# Specifications ServiceGate Lite



---

## Contact

If you'd like to find out more about the ServiceGate Lite and what Remote Engineer can do for you, simply get in touch with us.

Remote Engineer B.V.  
It Vegelinskampke 11,  
8491 PD Akkrum (NL)  
[www.remoteengineer.eu](http://www.remoteengineer.eu),  
Tel: +31 566 796 515,  
[sales@remoteengineer.eu](mailto:sales@remoteengineer.eu)

Copyright © 2020 Remote Engineer B.V. Alle rechten voorbehouden







**remote engineer**  
*Simply Connect and Control*